







The Acorn Seat is inspired by nature. Place them facing each other or spaced out to get different social interactions between users. This durable Glass Fiber Reinforced Concrete (GFRC) constructed seat impresses with its styling.



L: 1' 6"
W: 1' 6"
H: 2' 5"
200 LBS





Typical Component Footing Detail
Check local soil conditions.
(Not to Scale)

If you determine that less than 12" of surfacing is required, make sure the top of the concrete slab is 12" below the top of the protective surfacing.

NOTE: Read installation instructions thoroughly before starting installation process.

Step 1: Lay out the area and prepare the site for install. Concrete must be installed over a solid, level base. Check local soil condition and codes. See product installation instructions for minimum use zone requirements to ensure proper spacing and adequate surfacing area.

Step 2: Refer to the typical in-ground footing detail on excavating a hole for the component.

Step 3: Place the component into the excavated footing, temporarily bracing when level and plumb. Pour a concrete footing. The concrete should be flush with the ground level, as shown in the typical in-ground footing detail. Allow time for the concrete to cure completely before continuing.


Step 4: Remove temporary bracing.

Included Items:

Item	Description	Quantity
Acorn Seat	Play Equipment	1

NOTES PRIOR TO CONSTRUCTION:

- Use appropriate equipment to lift and move the play equipment.
- Check local codes and requirements prior to digging or installing any equipment.



NOTE: Always wear eye protection appropriate to the task at hand.